# Directions for Isolation, Quarantine, Monitoring, and Social Distancing


Following these directions are the best way to keep your friends and family safe from COVID-19. Please do your part to keep everyone in our community healthy.

Who should be taking which steps?

- Social distancing: EVERYONE
- Self-monitoring: Anyone who wants to make sure they aren't getting sick
- Self-quarantine: Anyone who has had close contact or lives with someone who is sick
- Self-isolation: Anyone who is sick

# SoanDisending

- Keep 6 feet of space between people as much as possible.
- Avoid places at their busiest times.
- Use online, drive-through, or curbside services when possible.
- Avoid getting together in social groups.
- If possible, businesses should have employee tele-commute, provide online options, and limit in-person meetings.



# Salawoniodina



- Practice social distancing.
- Take and record temperature daily.
- Report any temperature of 100.4°F or above to your doctor.
- Report any onset of respiratory illness to your doctor. These include:
  - 1. Cough
  - 2. Shortness of breath or difficulty breathing
  - 3. Chest pain
  - 4. Additionally, you could experience sore throat, fatigue, muscle aches, chills, headache, abdominal pain, nausea, vomiting or diarrhea
- If you need medical care, call ahead to your doctor.
- Household members should practice social distancing.
- If you develop symptoms of illness you will move into Self-Isolation.



# Salkonarantina



- Under no circumstance should you go to work, school or public places. You should only consider leaving your home if you need medical attention.
  - Avoid using public transportation to get to your medical provider or emergency department. Do not use busses, Uber, Lyft, taxi cabs or rail lines.
  - Wear a mask over your nose and mouth if you must leave your house to seek medical care.
- Take and record temperature daily.
- Report any temperature of 100.4°F or above to your doctor.
- Report any onset of respiratory illness to your doctor. These include:
  - 1. Cough
  - 2. Shortness of breath or difficulty breathing
  - 3. Chest pain
  - 4. Additionally, you could experience sore throat, muscle aches, chills, headache, abdominal pain, nausea, vomiting or diarrhea
- If you need medical care, call ahead to your doctor.
- Minimize contact with others in your home when possible.
- Do not share items with your household members or pets such as dishes, drinking cups, silverware, towels or bedding. After using these items, they should be washed with soap and hot water.
- Cover your coughs and sneezes with a disposable tissue or the upper part of your sleeve.
   Dispose of tissues in a lined trash can. Wash your hand immediately afterward.
- Wash your hands frequently with soap and water for at least 20 seconds. This includes after
  using the restroom, coughing or sneezing, or when they are visibly dirty. If you do not have
  access to soap and water, use a hand sanitizer with 60% 95% alcohol
- Avoid touching your eyes, nose and mouth with unwashed hands.
- Clean your frequently used surfaces with a solution of 1/3 cup bleach to a gallon of water or
  disinfectant sprays or wipes daily. This includes "high-touch" surfaces such as phones,
  tablets, keyboards, doorknobs, bathroom fixtures, toilets, counters, tabletops and bedside
  tables. Wear rubber gloves if necessary and make sure the area is properly ventilated. Do not
  mix bleach with other cleaning products.
- Household members should practice self-monitoring.
- If you develop symptoms of illness you will move into Self-Isolation.





- Under no circumstance should you go to work, school or public places. You should only
  consider leaving your home if you need medical attention.
  - Avoid using public transportation to get to your medical provider or emergency department. Do not use busses, Uber, Lyft, taxi cabs or rail lines.
  - Wear a mask over your nose and mouth if you must leave your house to seek medical care.
- Avoid handling pets or other animals while you are sick.
- Cover your coughs and sneezes with a disposable tissue or the upper part of your sleeve. Dispose of tissues in a lined trash can. Wash your hands immediately afterward.
- Wash your hands frequently with soap and water for at least 20 seconds. This includes after using the restroom, coughing or sneezing, or when they are visibly dirty. If you do not have access to soap and water, use a hand sanitizer with 60% - 95% alcohol.
- Avoid touching your eyes, nose and mouth with unwashed hands.
- Clean your frequently used surfaces with a solution of 1/3 cup bleach to a gallon of water or disinfectant sprays or wipes daily. This includes "high-touch" surfaces such as phones, tablets, keyboards, doorknobs, bathroom fixtures, toilets, counters, tabletops and bedside tables. Wear rubber gloves if necessary and make sure the area is properly ventilated. Do not mix bleach with other cleaning products.
- Clean any item or surface that may have blood, mucus, vomit, urine, stool or other body fluids on them.
- Make sure your home has good airflow, open windows if weather permits or use the air conditioner.

#### If you live with others:

- Separate yourself from other household members and pets whenever possible.
- You should stay in a specific room and away from other household members.
- Use a separate bathroom if possible.
  - If you must share a bathroom wipe down all surfaces after the patient uses it.
  - o If you share a shower, do not share razors, washcloths or body sponges/poufs.
  - Keep toothbrushes separate.
  - If you must enter a shared space put a mask over your nose and mouth before leaving your room.
- Do not share items with your household members or pets such as dishes, drinking cups, silverware, towels or bedding. After using these items, they should be washed with soap and hot water.
- Household members should practice Self-Quarantine.
- Dirty laundry should be handled with gloves and kept away from the body. Do not shake out laundry. Wash and dry with normal detergent at highest temps per labels.
- Someone who is asymptomatic should take care of and walk pets.



### Selfisolationkoomimuetk



# If you live alone, do not open your door to anyone.

- If someone is dropping off groceries or other items for you, have them leave it at your doorstep and wait until they leave to open the door.
- Do not cook food for anyone other than yourself.
- Pets can be let outside to relieve themselves, if you must walk them wear a mask or fabric over your face and stay close to your home to avoid contact with others.

#### When seeking care at a healthcare facility:

- Call ahead to get direction from your health care provider. They may ask you to meet them outside or usher you into a different entrance than the general public uses.
- Avoid using public transportation to get to your medical provider or emergency department.
   Do not use busses, Uber, Lyft, taxi cabs or rail lines.
  - If you are unable to drive yourself and do not have a ride, call 9-1-1 for transport by ambulance.
- If someone is giving you a ride, wear a mask or fabric that covers your mouth and nose while you are in the vehicle with them.
- If you are driving yourself, apply a mask or fabric that covers your mouth and nose before exiting your vehicle.



# COVID-19 Workplace Health Screening: General Industry (not food-selling or pharmacy\*)



Company Name:			***************************************
Employee Name: Date	Date:		
Time	In:		
In the past 24 hours, have you experienced:		<u> </u>	
Fever of 100.4° F or higher, or a subjective fever (felt feverish)		☐Yes	□ No
Cough (excluding chronic cough due to a known medical reason other than COVID	)-19)	Yes	□No
Shortness of breath		Yes	□No
Sore throat		☐Yes	. □ No
Diarrhea (excluding diarrhea due to a known medical reason other than COVID-19	9)	Yes	□ No
go into work. Self-isolate at home and contact your primary care physician's office isolate at home for minimum of 10 days since symptoms first appear. You must all and a vast improvement in symptoms before returning to work.  In the past 14 days, have you traveled internationally?  Yes No If you answer "yes," please do not go into work. You must self-quarantine at home international travel.	so have	3 days witi	nout fevers
In the past 14 days, have you had close contact with someone diagnosed with you answer "yes," please do not go into work. You must self-quarantine at home contact with the COVID-19 positive person.			
Exemptions include food-selling establishment and pharmacy workers ( <u>under EO :</u> health care facility, first responders (e.g., police officers, fire fighters, paramedics) employees, workers at child caring institutions, and workers at correctional faciliti individuals may be allowed to continue to work at the employer's discretion. Work mask at work for 14 days.	, child p es ( <u>und</u>	rotective se er EO 2020	ervice <u>-36</u> ). These
*These symptoms can be accompanied by chills, shivering, muscle aches, headaches, or some cases, these additional symptoms can be the only symptoms that are present. If a to is available, a temperature check is strongly recommended at the worksite. Employees can home and report it to their employer. A fever is considered a temperature of 100.4°F or ab individuals infected with COVID-19 develop a fever, so it is important to still screen for other unusual for the person is reason for concern.	ouchless, n also tal ove. Ren	/contactless ke their temp nember that	thermometer perature at not all
Specific requirements for food-selling establishments and pharmacies are included in <a href="Exe">Exe</a> "Food-selling establishment" means grocery stores, convenience stores, restaurants that	cutive Or sell groce	der 2020-72 eries or food	<u>L.</u> available

For questions, visit <u>washtenaw.org/COVID19</u> or contact with Washtenaw County Health Department at L-wchdcontact@washtenaw.org or 734-544-6700.

for takeout, and any other business that sells food. Please use this different screening tool for food and pharmacies.